Cumulative Index 1980, 1981, and 1982

Volumes 7, 8, and 9

SYMPOSIA

1980

January MYOCUTANEOUS FLAPS
April SURGICAL CORRECTION OF GENITOURINARY PROBLEMS
July SKIN TUMORS
October ADVANCES IN PLASTIC SURGERY IN THE ORIENT

1981

January DIFFICULT PROBLEMS IN HAND SURGERY
April AESTHETIC ASPECTS OF RECONSTRUCTIVE SURGERY
July RECONSTRUCTION OF THE NOSE
October MODERN TRENDS IN BLEPHAROPLASTY

1982

January ONE-STAGE RECONSTRUCTIONS
April SCALP DEFECTS AND INJURIES, INCLUDING HAIR TRANSPLANTATION
July SOCIAL AND PSYCHOLOGICAL CONSIDERATIONS IN PLASTIC SURGERY
October MAXILLOFACIAL SURGERY

Note: The volume year is in *italic* type. Page numbers of symposium and article titles are in **boldface** type.

ACANTHOMA, large cell, *1980*: July, 293
Achilles tendon, reconstruction of, medial gastrocnemius myocutaneous flap in, *1980*: Jan., 47–49
Adrenocortical hyperplasia, *1980*: Apr., 191
Adrenogenital syndrome, *1980*: Apr., 219
Aesthetic reconstructive surgery, symposium on, *1981*: Apr., **165–406**
Airway, management of, during maxillofacial surgery, *1982*: Oct., **443–444**
  in fronto-naso-orbital trauma, *1982*: Oct., 577–578
  nasal, reconstruction of, *1981*: July, 582–586
  upper, obstruction of, in children with craniofacial anomalies, *1982*: Oct., **555–567**
Ala, nasal, minor defects of, *1981*: July, 559
  reconstruction of, *1981*: July, **599–602**
Alloplastic implant, vs. autogenous bone graft, in maxillofacial surgery, *1982*: Oct., **539–540**
Allotransplantation, for extensive scalp defects, *1982*: Apr., 153–158
Alopecia, after scalp burns, rehabilitation for, *1982*: Apr., 170–175
Alopecia *(Continued)*
  androgenetic, *1982*: Apr., 198–202
  cicatricial, of scalp, surgical treatment of, *1982*: Apr., **179–196**
Androgenetic alopecia, prevention and treatment of, *1982*: Apr., 199–202
Angiokeratoma, *1980*: July, 402–403
Angioma, spider, *1980*: July, 402
Angiomatosis, encephalotrigeminal, *1980*: July, 404
Angiosarcoma, *1980*: July, 409
Anoplasty, *1980*: Apr., 228
Anotia, one-stage treatment of, *1982*: Jan., **49–52**
Anus, imperforate, urogenital sinus malformation with, *1980*: Apr., 225
  one-stage reconstruction of, *1982*: Jan., **109–112**
Apert syndrome, cranial graft for correction of, *1982*: Oct., 536
  respiratory distress and, *1982*: Oct., 557
Apnea, sleep, in children with craniofacial anomalies, *1982*: Oct., **555–567**
Argon laser, in tattoo removal, *1980*: July, 373–374

Arm, malignant tumors of, *1980*: July, **413–420**
trauma to, patterns of occurrence, *1981*: Jan., **13–19**
Arm flap, for nasal reconstruction, *1981*: July, 513, 566–569
Arthroplasty, in temporomandibular joint surgery, *1982*: Oct., 597
perichondrial, for reconstruction of small joints, *1981*: Jan., **107–114**
use of in joints other than metacarpophalangeal and interphalangeal, *1981*: Jan., 113–114
Attractiveness, facial, importance of, *1982*: July, 387
psychosocial implications of, *1982*: July, **289–296**
physical, in dating and mating, *1982*: July, 290–291
in estimation of others, *1982*: July, 380–381
in school, *1982*: July, 292–293
stereotype for, *1982*: July, 291–292
Augmentation mammaplasty, psychological reactions to, *1982*: July, 349–350
Auricular cartilage autografting, for lid retraction, *1981*: Oct., 789–790
Auricular flap, for nasal reconstruction, *1981*: July, **481–505**
Autograft, for correction of nasal skeletal defects, *1981*: July, 577
hair-bearing, for treating androgenetic alopecia, *1982*: Apr., 202–203
Avascular necrosis, of scaphoid, after fracture, *1981*: Jan., 86–87
Axial pattern flap, *1980*: Oct., 495
distant, use in hand and forearm, *1981*: Jan., 134–136
local, use in hand and forearm, *1981*: Jan., 132–133

BALDNESS, classification of, *1982*: Apr., 270–271
Barr body, *1980*: Apr., 180
Basal cell carcinoma, *1980*: July, **301–311**
nevus sebaceous and, *1980*: July, 303
nevus syndrome and, *1980*: July, 302
reconstructive techniques for, *1980*: July, 310
treatment of, *1980*: July, 305–310
xeroderma pigmentosum and, *1980*: July, 302
Beau's lines, cause of, *1981*: Jan., 25
Beauty, facial, divine proportion in, *1982*: Oct., 401–422
mathematics and, *1982*: Oct., 403–409
Beckwith-Wiedemann syndrome, *1980*: July, 404
Behavior disorders, in patients for plastic surgery, *1982*: July, 373–374
Belt-Fuqua technique, for hypospadias repair, *1980*: Apr., 149–150
Bifid clitoris, *1980*: Apr., 209
Binder's syndrome, bone grafting in, *1981*: Apr., 279
Biomechanics, of rigid internal fixation, in hand, *1981*: Jan., 54
Bipedicle flaps, for constructing anterior hairline, *1982*: Apr., 140–141
Bladder, exstrophy of, surgical repair, *1981*: Apr., 402–406
with hypospadias, *1980*: Apr., 147
Blepharitis, chronic, *1981*: Oct., 807
Blepharochalasis, distinction from brow ptosis, *1981*: Oct., 635
ptosis and, *1981*: Oct., 813
Blepharoplasty, esthetic, anesthesia in, *1981*: Oct., 745–746
blindness associated with, *1981*: Oct., **793–795**
preoperative counseling, *1981*: Oct., 742–743
sedation in, *1981*: Oct., 745
selection of alternatives in, *1981*: Oct., **739–755**
Blepharoplasty *(Continued)*
complications, *1981*: Oct., **797–802**
incision for, *1981*: Oct., 773–774
in patient with ptosis, *1981*: Oct., 814, 822, 828
lower, *1981*: Oct., **643–662**
edema following, *1981*: Oct., 662
modern trends in, symposium on, *1981*: Oct., **623–830**
postoperative care, *1981*: Oct., 754
ptosis complicating, *1981*: Oct., 828
upper, *1981*: Oct., **635–641**
upper and lower, standard technique, *1981*: Oct., **663–671**
wedge resection in, *1981*: Oct., 750–751
Blepharoptosis, one-stage treatment of, *1982*: Jan., **45–48**
Blindness, associated with esthetic blepharoplasty, *1981*: Oct., **793–795**
Body image, cognitive growth and, *1982*: July, 308–309
development of, *1982*: July, 308–311
effect of reconstructive surgery on, *1982*: July, **307–315**
importance of, *1982*: July, 340–341, **379–385**
in cleft palate patients, *1982*: July, 323–324
in transsexuals, *1982*: July, 356–357
loss of, in terminal patient, *1982*: July, 335
Bone, facial, growth during childhood and adolescence, *1982*: Oct., **445–456**
regeneration of, for burned skull, *1982*: Apr., 163
Bone graft, autogenous, from calvarium, *1982*: Oct., **531–538**
vs. alloplastic material, in maxillofacial surgery, *1982*: Oct., **539–540**
for burns of skull, *1982*: Apr., 162–163
for craniofacial defects, *1982*: Oct., 583
for nasal reconstruction, *1981*: July, 550–556
for orbital reconstruction, *1982*: Oct., 550
for pseudarthrosis of scaphoid, *1981*: Jan., 92–93
to face, esthetic aspects of, *1981*: Apr., **279–301**
Bowen's disease, *1980*: July, 294–296
Breast, developmental psychology of attitudes about, *1982*: July, 347–349
one-stage reconstruction of, without silicone implant, *1982*: Jan., **85–89**
latissimus dorsi myocutaneous flap in, *1980*: Jan., **71–78, 79–88**; *1981*: Apr., 373–387
surgery of, psychological reactions to, *1982*: July, **347–354**
Breast augmentation, psychological reactions to, *1982*: July, 349–350
Breast reduction, psychological reactions to, *1982*: July, 350–351
Burns, alopecia after, rehabilitation for, *1982*: Apr., 170–175
emotional problems after, *1982*: July, 344–345
facial, resurfacing of, *1981*: Apr., **255–267**
forearm flap for, *1982*: Jan., **21–26**
genital, *1980*: Apr., 237
of hand, reconstruction following, *1981*: Apr., 350–355
flaps for, *1981*: Jan., 148–149
secondary repair for, *1981*: Jan., **141–162**
skin grafting of, *1981*: Jan., 143–148
of scalp, surgical treatment of, *1982*: Apr., **167–177**
electrical, surgical treatment of, *1982*: Apr., **167–177**
psychosocial results of, *1982*: July, **337–346**
Burn scars, skin cancer and, *1980*: July, 272, 366
Byars principle, in hypospadias repair, *1980*: Apr., 149, 162

CALVARIUM, as autogenous bone graft, *1982*: Oct., **531–538**

Cancer, breast, reconstruction following, *1982*: July, 351–353
head and neck, psychosocial implications of surgery for, *1982*: July, **327–336**
reconstruction of nose with, *1981*: July, **603–613**
Canthi, skin cancer of, *1980*: July, 423–425
Canthorrhaphy, lateral, *1981*: Oct., 781–783
Carcinogens, chemical, *1980*: July, 270–271
Carcinoma, after healing of burn, *1981*: Jan., 149
Carpals, rigid internal fixation in, *1981*: Jan., 56
Cartilage, articular, formation of by perichondrium, *1981*: Jan., 107–108
replacement with perichondrial graft, *1981*: Jan., **107–114**
auricular, as autograft, *1981*: Oct., 789–790
Cartilage graft, for nasal reconstruction, *1981*: July, **599–602**
Cecil-Culp urethroplasty, *1980*: Apr., 149, 162
Cephalometrics, divine proportion and, *1982*: Oct., 408–415
importance in orthognathic surgery, *1982*: Oct., 423–428
prior to correction of microgenia, *1981*: Apr., 270
Cervical flap, transverse, for nasal reconstruction, *1981*: July, 472
Cheek, for reconstruction of ala, *1981*: July, 441
keratoacanthoma of, *1980*: July, 327
reconstruction of, *1981*: Apr., **223–226**
myocutaneous flaps in, *1980*: Jan., 99–100
one-stage, *1982*: Jan., **71–72**
skin cancer of, *1980*: July, 425–426
squamous cell carcinoma of, *1980*: July, 327–328
Cheek flap, for nasal reconstruction, *1981*: July, 439, 441
Cheek prominence, location of, *1982*: Oct., 411
Chemosurgery, *1980*: July, **349–359**
in recurrent basal cell carcinoma, *1980*: July, 308
wound healing and, in post-mastectomy breast reconstruction, *1981*: Jan., **27–30**
Chest, anterior wall of, reconstruction of, *1981*: Apr., **389–397**
Children, fingers of, condylar fracture in, *1981*: Jan., 75
crush injury of, *1981*: Jan., 70, 72
phalangeal fracture, *1981*: Jan., 75, 76
hands of, dislocation of joints in, *1981*: Jan., 77–78
epiphyseal injury, *1981*: Jan., 67, 70
fractures, *1981*: Jan., 65
remodeling for, *1981*: Jan., 79–80
ligamentous avulsions in, *1981*: Jan., 78
skeletal injuries of, *1981*: Jan., **65–81**
mallet finger in, *1981*: Jan., 72–74
metacarpals of, fractures, *1981*: Jan., 76–77
Chin, osteotomy for esthetic and occlusal change, *1982*: Oct., 458
small, correction of, *1981*: Apr., **269–278**
Choanal atresia, in children with craniofacial anomalies, *1982*: Oct., 565
Chondrogenesis, by perichondrium, *1981*: Jan., 107–108
Chordee, *1980*: Apr., 146, 162, 201, 203
correction of, in hypospadias repair, *1982*: Jan., **92**
Chromosome karyotyping, *1980*: Apr., 181–183
Cleft lip, unilateral, one-stage repair of, *1982*: Jan., **53–57**
Cleft palate, improvement of speech after repair of, *1982*: Jan., **65–70**
parental reactions to, *1982*: July, 317–318
psychosocial problems with, *1982*: July, **317–326**
unilateral, one-stage repair of, *1982*: Jan., **59–63**
Clitoris, bifid, *1980*: Apr., 209
Cloacal deformities, *1980*: Apr., 225–233
Cognitive growth, body image and, *1982*: July, 308–309
Columella, minor defects of, *1981*: July, 559–560
Communication, between patient and surgeon, *1982*: July, **387–395**
loss of, after surgery for head and neck cancer, *1982*: July, 331
Cosmetic surgery. See *Esthetic plastic surgery*.
Craniofacial deformity, adjustment to, *1982*: July, 310
development of body image in children with, *1982*: July, 308
familial relationships in, *1982*: July, 298
parental reactions to, *1982*: July, 309–310
psychosocial effects of, *1982*: July, **297–306**
teachers' reactions to, *1982*: July, 310
Craniosynostosis, bicoronal, correction of, *1981*: Apr., 318–323
coronal, esthetic correction of, *1981*: Apr., **317–326**
unilateral, correction of, *1981*: Apr., 323–326
respiratory distress and, *1982*: Oct., 561–563
Cranium, as autogenous bone graft, *1982*: Oct., **531–538**
Cross-finger flap, for distal finger amputations, *1981*: Jan., 131
volar-based, for thumb amputations, *1981*: Jan., 131
Crouzon disease, airway obstruction and, *1982*: Oct., 559–560
bicoronal craniosynostosis and, *1981*: Apr., 318
cranial graft for correction of, *1982*: Oct., 536
Crow's feet, correction, division and suspension of orbicularis oculi for, *1981*: Oct., **673–678**
orbicularis oculi muscle flaps for, *1981*: Oct., **679–686**
Cryotherapy, for basal cell carcinoma, *1980*: July, 308–309
Curietherapy, for skin cancer, *1980*: July, 339
Cutaneous horn, *1980*: July, 293

DATING, physical attractiveness in, *1982*: July, 290–291
Death. See *Terminal patient, management of*.
Deformities, congenital, craniofacial surgery for correction of, *1981*: Apr., **303–316**
etiology of self-consciousness and, *1982*: July, 372–373
reactions to, classification of, *1982*: July, 368–369
traumatic, craniofacial surgery for correction of, *1981*: Apr., **303–316**
Delaire cephalometric analysis, *1982*: Oct., 519–520
Deltopectoral flap, in hand and forearm, *1981*: Jan., 136
Denis Browne principle, in hypospadias repair, *1980*: Apr., 149, 162
Dermatochalasis, *1981*: Oct., 813–814
Dermatofibroma, *1980*: July, 400
Dermoid, nasal, treatment of, *1981*: July, 560
Digits, replantation of, *1980*: Oct., 442–443
transpositional, *1980*: Oct., 445
skin cancer of, *1980*: July, 430–431
Dimethyltriazeno imidazole carboxamide (DTIC), to treat recurrent melanoma, *1980*: July, 393
Distal interphalangeal joint, burned, repair of, *1981*: Jan., 162
Divine proportion, in facial esthetics, *1982*: Oct., **401–422**
Dorsal pedal free flap, *1980*: Oct., 458
for nasal reconstruction, *1981*: July, 472
Dry eye syndrome, *1981*: Oct., 805–806
Duchenne, studies of orbicularis oculi, *1981*: Oct., 687, 690–691
Dupuytren's contracture, surgery for complications, *1981*: Jan., **45–50**
Dyschondroplasia, with vascular hamartomas, *1980*: July, 404–405
Dysostosis, mandibulofacial. See *Treacher Collins syndrome*.

EAR, as donor site, for composite grafts, *1981*: July, 435
for total nasal reconstruction, *1981*: July, **481–505**
external, one-stage reconstruction of, *1982*: Jan., **49–52**
parietal scalp and, composite flap for nasal reconstruction, *1981*: July, 439
skin cancer of, *1980*: July, 428–429
squamous cell carcinoma of, *1980*: July, 325–326
total construction of, *1981*: Apr., **211–221**
Ear disease, associated with cleft palate, *1982*: July, 319
Ectropion, *1981*: Oct., 798–799, 802
in surgery on Oriental eyelid, *1981*: Oct., 731, 733
Edema, of lower lid, following blepharoplasty, *1981*: Oct., 662
Education, role of physical attractiveness in, *1982*: July, 292–293, 310
surgeon-patient relationships and, *1982*: July, 390–391
Elbow, deep burns of, *1981*: Jan., 156
Electrodesiccation, for squamous cell carcinoma, *1980*: July, 318
Elephantiasis, one-stage surgical treatment of, *1982*: Jan., **113–117**
Embryology, of male external genitalia, *1980*: Apr., **141–148**
Emphalocele, nasal, correction of, *1981*: July, 560–563
Epicanthoplasty, *1980*: Oct., 560
Epidermoid carcinoma, microscopic findings, *1980*: July, 315
Epiphysis, of child's hand, injury to, *1981*: Jan., 67, 70
of hand, anatomy, *1981*: Jan., 66–67
Epispadias, *1980*: Apr., 147
female, *1980*: Apr., 209
surgical repair of, *1980*: Apr., 204; *1981*: Apr., 402–406
Eponychium, loss of, *1981*: Jan., 30
Erythroplasia de Queyrat, *1980*: July, 333
Esophagus, reconstruction of, myocutaneous flaps in, *1980*: Jan., 96–97
Esthetic plastic surgery, current attitudes toward, *1982*: July, 370–371
facial, osteotomies for, *1982*: Oct., **457–477**
patient's expectations of, *1982*: July, 393
perception by others after, *1982*: July, 294
psychosocial studies of, *1982*: July, 284–286
unfavorable attitudes toward, *1982*: July, 369–370
Esthetics, facial, divine proportion in, *1982*: Oct., **401–422**
Ethnicity, surgeon-patient relationships and, *1982*: July, 390
Exophthalmos, endocrine, eyelid deformities associated with, correction, *1981*: Oct., **777–792**
from orbital tumor, *1982*: Oct., **549–554**
Exstrophy, of bladder, with hypospadias, *1980*: Apr., 147
Eyebrow, as donor site for island flap, *1981*; July, 439
Eyelid, anatomy, *1981*: Oct., **623–634**
changes in aging, *1981*: Oct., 623
deformities associated with exophthalmos, correction, *1981*: Oct., **777–792**
depressions of, correction, *1981*: Oct., **757–776**
drooping, treatment of, *1982*: Jan., **45–48**
lower, baggy, correction of, *1981*: Oct., **643–662**
reconstruction of, *1981*: Apr., 227–232
skin cancer of, *1980*: July, 423
major reconstruction of, *1981*: Apr., **227–236**
Oriental, anatomy, *1981*: Oct., 725
construction of superior palpebral fold in, *1980*: Oct., 553–560; Oct. *1981*, **725–737**
upper, anatomy of, *1980*: Oct., 554
reconstruction of, *1981*: Apr., 232–236
esthetic, *1981*: Apr., **237–241**
skin cancer of, *1980*: July, 422
Eyelid distention test, before blepharoplasty, *1981*: Oct., 701–702

FACE, asymmetry of, *1982*: Oct., 448, 452
bone grafting to, aesthetic aspects of, *1981*: Apr., **279–301**
burned, resurfacing of, *1981*: Apr., **255–267**
composite tissue transfer to, *1981*: Apr., **333–348**
esthetic units of, *1981*: Apr., 259–266
physical attractiveness of, psychosocial implications of, *1982*: July, **289–296**
Facial deformities, sociologic aspects of, *1982*: July, 283–284
Facial esthetics, divine proportion in, *1982*: Oct., **401–422**
Fasciectomy, palmar, for Dupuytren's contracture, complications, *1981*: Jan., **45–50**
technique, *1981*: Jan., 49
Fat graft, for palpebral depression, *1981*: Oct., 758–759
Female hermaphroditism, *1980*: Apr., 191
Fibonacci series, in divine proportion, *1982*: Oct., 407–408
Fibrin glue, in perichondrial arthroplasty, *1981*: Jan., 111
Fibula graft, free, *1980*: Oct., 463, 465, 466, 468–469
Fibula-cutaneous graft, free, *1980*: Oct., 470
Finger(s), contractures between after burns, *1981*: Jan., 149–151, 156
distal, amputation of, thenar flap for, *1981*: Jan., 131–132
dorsal, flaps for, *1981*: Jan., 132
of child. See *Children, fingers of.*
phalanges, internal fixation in, *1981*: Jan., 58
tips, flaps for, *1981*: Jan., 131
reconstruction of, *1980*: Oct., 452–453. See also *Digits.*
Fingernail. See also *Nail bed* and *Perionychium.*
burned, repair of, *1981*: Jan., 149
curving or malalignment of, *1981*: Jan., 29–30
grooves in, cause of, *1981*: Jan., 25
hematoma beneath, *1981*: Jan., 25
laceration of, *1981*: Jan., 25–27
and distal phalangeal fracture, *1981*: Jan., 27–28
reconstruction of, *1981*: Jan., 28–30
Fistula, complicating hypospadias repair, *1980*: Apr., 167
nasal, correction of, *1981*: July, 560
skin cancer and, *1980*: July, 272, 366
Fixation, internal. See *Internal fixation.*
Flag flap, in hand, *1981*: Jan., 122
Flap. See also specific types.
advancement-rotation, for cheek reconstruction, *1981*: Apr., **223–226**
advances in coverage with, *1980*: Oct., **495–510**
arm, for nasal reconstruction, *1981*: July, 513, 566–569
auricular, for nasal reconstruction, *1981*: July, **481–505**
bipedicle, for constructing anterior hairline, *1982*: Apr., 140–141
cervicofacial, for cheek reconstruction, *1981*: Apr., **223–226**
cheek, for reconstruction of ala, *1981*: July, 439, 441
chondrocutaneous, for partial nasal reconstruction, *1981*: Apr., 179
chondromucosal, for nasal reconstruction, *1981*: Apr., 169
"conjoined frontal," for one-stage reconstruction of nose, *1982*: Jan., **43–44**
cross-leg, longitudinal, for one-stage reconstructions, *1982*: Jan., **119–121**
distant musculocutaneous, for correction of difficult scalp wound, *1981*: Apr., 329–330
dorsal pedal, for nasal reconstruction, *1981*: July, 472
ear and parietal scalp, for nasal reconstruction, *1981*: July, 439
esthetic considerations, *1981*: Jan., 129–130
for burned hand, *1981*: Jan., 148–149

Flap *(Continued)*
for hand and forearm reconstruction, *1981*: Jan., **129–137**
for nasal reconstruction, criteria for selection, *1981*: July, 471
requirements of, *1981*: July, 523–534
forearm, for nasal reconstruction, *1981*: July, 472, 478
for one-stage reconstructions, *1982*: Jan., **21–26**
forehead, for nasal reconstruction, *1981*: July, 471–472, 513, 566–569, 593–596
free, prefabricated, for nasal reconstruction, *1981*: July, 478
frontotemporal, *1981*: July, 442–468
general principles of design, *1981*: Jan., 129
guidelines for selection of, *1980*: Oct., 496–497
in reconstruction of genitalia, *1980*: Apr., 238–241, 246–256
island, for nasal reconstruction, *1981*: July, 439
island frontal, for one-stage reconstruction of nose, *1982*: Jan., **37–43**
lateral scalp, for anterior hairline reconstruction, *1982*: Apr., **241–253**
latissimus dorsi, for reconstruction of breast, *1981*: Apr., **373–387**; *1982*: Jan., **85–89**
local, for lateral nasal defects, *1981*: July, 588
classification of, *1981*: Jan., 116–117
in hand, advantages and disadvantages of, *1981*: Jan., 115–116
local axial, for difficult scalp wound, *1981*: Apr., 327–329
microvascular free, for scalp defects, *1982*: Apr., **263–268**
musculocutaneous, for difficult leg wounds, *1981*: Apr., **369–372**
for reconstruction of cheek and lips, *1982*: Jan., **71–72**
nasolabial, for lining defects, *1981*: July, 546, 588–593
cartilage graft and, *1981*: July, **599–602**
pedicle, for treating cicatricial alopecia, *1982*: Apr., 183–184
retroauricular, for nasal reconstruction, *1981*: July, 472
rotation, for covering small defects of scalp, *1982*: Apr., 138
scalp, *1982*: Apr., 137–141
free, for treating cicatricial alopecia, *1982*: Apr., 184
rotating, after scalp burns, *1982*: Apr., 173–175
scalping forehead, for nasal reconstruction, *1981*: July, **413–434**
septocutaneous, for one-stage reconstructions, *1982*: Jan., 34–35
temporo-parieto-occipital, for treatment of baldness, *1982*: Apr., **255–261**
thoracoacromial, for nasal reconstruction, *1981*: July, 472
transpositions, for restoring hairline, *1982*: Apr., 138–140
transverse cervical, for nasal reconstruction, *1981*: July, 472
upper arm, for one-stage reconstructions, *1982*: Jan., **27–35**
Flexor tendon, microanatomy, *1981*: Jan., 1–2
nutrition of by synovial fluid, *1981*: Jan., 2
5-Fluorouracil, for basal cell carcinoma, *1980*: July, 309–310
Foot, Mandarin bound, correction of, *1982*: Jan., **123–126**
Forearm flap, for nasal reconstruction, *1981*: July, 472–478
for one-stage reconstructions, *1982*: Jan., **21–26**
Forehead flap, for nasal reconstruction, *1981*: July, **413–434**, 471–472, 513, 566–569, 593–596
Fracture, distal phalangeal, and laceration of fingernail, *1981*: Jan., 27–28
frontobasal, treatment of, *1980*: Oct., **525–539**
metacarpal, in child, *1981*: Jan., 76–77
naso-orbital, *1982*: Oct., 587–588
of finger, in child, *1981*: Jan., 75–76
intra-articular, *1981*: Jan., 101–102
of hand, immobilization in protective position, *1981*: Jan., 52–54
in child, *1981*: Jan., 65
reduction of, *1981*: Jan., 52, 53–54, 60
remobilization, *1981*: Jan., 54
of maxillozygomatic arch, inferior orbitotomy for, *1982*: Oct., **569–575**
of scaphoid, differentiation of pseudarthrosis and delayed union, *1981*: Jan., 89
displaced, *1981*: Jan., 92
management, *1981*: Jan., **83–94**
radiography of, *1981*: Jan., 87–88
undisplaced, *1981*: Jan., 91–92
orbital, *1982*: Oct., 586–587
Free flaps, *1980*: Oct., 502, 504–508
in hand and forearm, *1981*: Jan., 136–137
myocutaneous, *1980*: Jan., **111–122**
Free skin flap, *1980*: Oct., 495–496
Free toe transfer. See *Transplantation, free toe.*
Frontalis muscle, transplantation to upper eyelid, for blepharoptosis, *1982*: Jan., **45–48**
Frontotemporal flap, for nasal reconstruction, *1981*: July, 442–468

GASTROCNEMIUS myocutaneous flap, *1980*: Jan., **45–50**
complications of, *1980*: Jan., 130–131
Gastrocnemius-cutaneous flap, free, *1980*: Oct., 463
Gender identity, development of, *1982*: July, 357
disorders of, *1982*: July, 357–358
Gender identity team, importance of, *1982*: July, 359–360
Gender reassignment surgery, psychological considerations of, *1982*: July, **355–366**
timing of, *1982*: Jul., 365
Genitalia, female, embryology of, *1980*: Apr., 175
male, embryology of, *1980*: Apr., **141–148**
reconstruction of, *1980*: Apr., **235–258**
esthetic, *1981*: Apr., **399–406**
skin cancer of, *1980*: July, 431
Genitourinary tract, surgery of, history of, *1980*: Apr., **137–139**
symposium on, *1980*: Apr., **135–258**
Glomangioma, *1980*: July, 403
Golden section, in facial esthetics, *1982*: Oct., 403–404
Gonadal patterns, in hermaphroditism, *1980*: Apr., 181, 184
Gracilis muscle, for anal reconstruction, *1982*: Jan., **109–112**
Gracilis myocutaneous flap, muscle flap and, *1980*: Jan., **27–43**
complications of, *1980*: Jan., 129–130
for ischial pressure sores, *1980*: Jan., 19, 21
Gracilis-cutaneous flap, free, *1980*: Oct., 463
Graft, autogenous, for correction of nasal skeletal defects, *1981*: July, 577
bone, autogenous, from calvarium, *1982*: Oct., **531–538**
cantilever, *1981*: July, 553–556
for pseudarthrosis of scaphoid, *1981*: Jan., 92–93
for reconstructing orbit, *1982*: Oct., 550
for repair of craniofacial defects, *1982*: Oct., 583

Graft *(Continued)*
bone, for treatment of burns of skull, *1982*: Apr., 162–163
L-shaped, for defects of nasal support, *1981*: July, 550–553
cartilage, nasolabial flap and, for nasal alar reconstruction, *1981*: July, **599–602**
composite, for nasal reconstruction, *1981*: July, 435–439
for reconstruction of ala, *1981*: July, 446
free, auricular chondrocutaneous, for reconstruction of nasal tip, *1981*: July, 507, 513
of amputated nasal tip, *1981*: July, 507
fibula, free, *1980*: Oct., 463, 465, 466, 468–469
fibula-cutaneous, *1980*: Oct., 470
hair-bearing, free, for treating cicatricial alopecia, *1982*: Apr., 184–186
ilium, free, *1980*: Oct., 463, 468
ilium-cutaneous, free, *1980*: Oct., 470
of digital tendon, experimental, *1981*: Jan., 5, 9
two-stage procedure for, *1981*: Jan., 9–11
perichondrial, replacement of articular cartilage with, *1981*: Jan., **107–114**
periosteal, free, *1980*: Oct., 470, 471
punch scalp, *1982*: Apr., **207–220**
rib, for repair of mandibular defects, *1982*: Jan., **73–78**
free, *1980*: Oct., 463, 466, 468
skin, "extended," for one-stage reconstructions, *1982*: Jan., **15–20**
for burned hand, *1981*: Jan., 143–148
for closure of genital wounds, *1980*: Apr., 244–246
for nasal cancer, *1981*: July, 603
full-thickness, for lateral nasal defects, *1981*: July, 588
onto muscle flap, *1980*: Oct., 522
split-thickness, for lateral nasal defects, *1981*: July, 587
skin-cartilage, for lateral nasal defects, *1981*: July, 588
square scalp, for hair transplantation, *1982*: Apr., **221–228**
strip scalp, for hair transplantation, *1982*: Apr., **229–240**
Granuloma, pyogenic, *1980*: July, 400
Graves' disease, ocular deformities in, *1981*: Oct., 777–778
Grief, parental, after birth of deformed child, *1982*: July, 310, 317–318
Groin, squamous cell carcinoma of, *1980*: July, 332–333
Groin flap, in hand and forearm, *1981*: Jan., 134–135
Gynecomastia, in Klinefelter's syndrome, *1980*: Apr., 187–188

HAIR, on scalp, biology of growth, *1982*: Apr., **197–205**
Hair transplants, free, after scalp burns, *1982*: Apr., 173
Hair-bearing grafts, free, for treating cicatricial alopecia, *1982*: Apr., 184–186
Hand, dorsal, flaps for, *1981*: Jan., 132
fracture of. See *Fracture, of hand*.
loss of, Krukenberg operation for, *1982*: Jan., **79–84**
of child, skeletal injury in, *1981*: Jan., **65–81**
reconstructive surgery of, *1980*: Oct., 453–457; *1981*: Apr., **357–362**
esthetic aspects of, *1981*: Apr., 349–355, **363–368**
squamous cell carcinoma of, *1980*: July, 330–332
thermal burns of, secondary repair for, *1981*: Jan., **141–162**
transposition flap in, repair of, *1981*: Jan., **115–127**
Hand surgery, difficult problems in, symposium on, *1981*: Jan., **1–162**
Head, neck and, reconstruction of, myocutaneous flaps in, *1980*: Jan., 15–17, **89–109**
pectoralis major myocutaneous flap in, *1980*: Jan., 57–63
Heineke-Mikulicz technique, *1980*: Apr., 217
Hemangioendothelioma, malignant, *1980*: July, 409
Hemangiolymphangioma, *1980*: July, 408–409
Hemangioma, cavernous, *1980*: July, 400–401
cherry, *1980*: July, 400
mixed capillary and cavernous, *1980*: July, 401
sclerosing, *1980*: July, 400
senile, *1980*: July, 400
strawberry, *1980*: July, 397–398
Hemangiopericytoma, *1980*: July, 409
Hematoma, complicating hypospadias repair, *1980*: Apr., 167
subungual, *1981*: Jan., 25
Hermaphroditism, *1980*: Apr., **179–196**
female, *1980*: Apr., 191
male, *1980*: Apr., 189–191
Hip, chronic dislocation of, pressure sores and, tensor fascia lata flap for, *1980*: Jan., 22–24
Hodgson technique, for hypospadias repair, *1980*: Apr., 153–155
Hope, psychology of, in handicapped, *1982*: July, 343–344
Horton-Devine technique, for hypospadias repair, *1980*: Apr., 151, 153, 165–167
Hydrometrocolpos, *1980*: Apr., 214
Hygroma, cystic, *1980*: July, 407
Hymen, imperforate, *1980*: Apr., 214
Hypertelorism, agenesis of external nose secondary to, *1981*: July, **615–618**
chonanal atresia and, *1982*: Oct., 557
orbital, correction of, *1981*: Apr., 303–310
Hypospadias, *1980*: Apr., 147, **149–160**
female, *1980*: Apr., 209
surgical repair of, *1981*: Apr., 400–402
one-stage, *1980*: Apr., **161–168**; *1982*: Jan., **91–95**

ILIUM, free graft of, *1980*: Oct., 463, 468
with attached skin, *1980*: Oct., 470
Immunosuppression, skin cancer and, *1980*: July, 273, **361–368**
Imperforate anus, urogenital sinus malformation with, *1980*: Apr., 225
Imperforate hymen, *1980*: Apr., 214, 215
Implant, alloplastic, vs. autogenous bone graft, in maxillofacial surgery, *1982*: Oct., **539–540**
silicone, for defects in nasal support, *1981*: July, 557–559
Incontinence, female urethral problems with, *1980*: Apr., 207–214
Infection, complicating hypospadias repair, *1980*: Apr., 167
Inguinal free flap, *1980*: Oct., 458
Injury. See *Fractures* and *Trauma*.
Instruments, microsurgical, development of, Oct., *1980*: 477
Intelligence, in children with cleft palates, *1982*: July, 319–320
Internal fixation, in hand, *1981*: Jan., **51–64**
biomechanics, *1981*: Jan., 54
in reattachment surgery, *1981*: Jan., 58
Interphalangeal joint, perichondrial arthroplasty for, *1981*: Jan., **107–114**
Intubation, nasal, during maxillofacial surgery, *1982*: Oct., 443

Ionizing radiation, skin cancer and, *1980*: July, 266, 268–269, 301
response of skin to, *1980*: July, 337–338
Ischemia, in limb replantation, *1980*: Oct., 476–477
Island flap, for nasal reconstruction, *1981*: July, 439

JOINT. See also specific joint.
reconstruction of, perichondrial arthroplasty in, *1981*: Jan., **107–114**
temporomandibular, functional surgery of, *1982*: Oct., 591–601

KAPOSI'S sarcoma, *1980*: July, 362, 410
Karyotype, chromosome, *1980*: Apr., 181–183
Kasabach-Merritt syndrome, *1980*: July, 405–406
Keratoacanthoma, *1980*: July, 297–300
microscopic findings, *1980*: July, 314
Keratoconjunctivitis sicca, *1981*: Oct., 805–806
Keratosis, actinic, *1980*: July, 289–294
arsenical, *1980*: July, 271
Kidney, anomalies, with vaginal agenesis, *1980*: Apr., 176
Kleeblattschädel, respiratory distress, and *1982*: Oct., 561–563
Klinefelter's syndrome, *1980*: Apr., 187–188
chromosome analysis in, *1980*: Apr., 183
Klippel-Feil syndrome, *1980*: Apr., 176
Klippel-Trenaunay-Weber syndrome, *1980*: July, 404
Köle procedure, *1982*: Oct., 458
Krukenberg operation, for loss of hand, *1982*: Jan., **79–84**

LACRIMAL gland, prolapse of, surgery for, *1981*: Oct., 747
Lacrimation, abnormalities of, *1981*: Oct., **803–809**
deficiency, diagnosis of, *1981*: Oct., 808–809
physiology, *1981*: Oct., 803–805
Laser, argon, in tattoo removal, *1980*: July, 373–374
Lateral scalp flap, for anterior hairline reconstruction, *1982*: Apr., **241–253**
Latissimus dorsi myocutaneous flap, complications of, *1980*: Jan., 131–132
in reconstruction of the breast, *1980*: Jan., **71–78, 79–88**
reversed, for upper sacral and lower back defects, *1980*: Jan., 66–69
Le Fort fracture, *1982*: Oct., 585
Le Fort osteotomy, for treatment of maxillary excess, *1982*: Oct., 481
Leg, lower, reconstruction of, extended myocutaneous flaps in, *1980*: Jan., 57–63
gastrocnemius myocutaneous flap in, *1980*: Jan., 45–50
myocutaneous flaps in, *1981*: Jan., 23–24
resurfacing exposed bone of, *1980*: Oct., **511–523**
squamous cell carcinoma of, *1980*: July, 333
reconstructive surgery for, *1981*: Apr., **369–372**
Leprosy, nasal lining defects of, *1981*: July, 543
Lid. See *Eyelid*.
Lip, cleft, unilateral, one-stage repair of, *1982*: Jan., **53–57**
reconstruction of, one-stage, *1982*: Jan., **71–72**
skin cancer of, *1980*: July, 429
squamous cell carcinoma of, *1980*: July, 320–322
"Long face deformity," treatment of, *1982*: Oct., **479–489**

Lower abdominal free flap, *1980*: Oct., 458
Lymph node resection for skin cancer, *1980*: July, 389–390
Lymphangioma, *1980*: July, 406
cavernous, *1980*: July, 406–407
simplex, *1980*: July, 406
Lymphangiosarcoma, postmastectomy, *1980*: July, 409
Lymphedema, lower extremity, one-stage surgical treatment of, *1982*: Jan., **113–117**

MAFFUCCI syndrome, *1980*: July, 404–405
Male hermaphroditism, *1980*: Apr., 189–191
Male pseudohermaphroditism, androgenetic alopecia in, *1982*: Apr., 198–199
Mallet finger, in child, *1981*: Jan., 72–74
Malocclusion, correction of, during childhood and adolescence, *1982*: Oct., 446–447, 449–450
facial osteotomies for, *1982*: Oct., **457–477**
Malrotation, of finger, in child, *1981*: Jan., 65–66
Mammaplasty, augmentation, analysis of reasons for having, *1982*: July, 369
psychological reactions to, *1982*: July, 349–350
reduction, psychological reactions to, *1982*: July, 350–351
Mandarin bound foot, correction of, *1982*: Jan., **123–126**
Mandible, defects of, one-stage reconstruction of, *1982*: Jan., **73–78**
hypoplastic, in children with craniofacial anomalies, *1982*: Oct., 565
osteotomy for esthetic and occlusal change, *1982*: Oct., 458
reconstruction of, pectoralis major flap in, *1980*: Jan., 101, 104–105
Mandibular micrognathia, correction of, *1982*: Oct., **519–530**
Mandibular prognathism, sagittal splitting osteotomy for, *1982*: Oct., **491–507**
Mandibulectomy, intraoral, *1982*: Oct., 541–542
Mandibulofacial dysostosis. See *Treacher Collins syndrome*.
Marginal myotomy, levator aponeurosis, *1981*: Oct., 783
Marginotomy, infraorbital, *1982*: Oct., **569–575**
Ma: ectomy, reconstruction following, *1982*: July, 351–353
one-stage, *1982*: Jan., **85–89**
Maxilla, elongated, treatment of, *1982*: Oct., **479–489**
hypoplastic, in children with craniofacial anomalies, *1982*: Oct., 565
osteotomy for esthetic and occlusal change, *1982*: Oct., 458
Maxillectomy, modifications of, *1982*: Oct., 543–545
Maxillofacial surgery, role of muscle and growth, *1982*: Oct., 603–633
symposium on, *1982*: Oct., 401–633
techniques for mandibulectomy and maxillectomy, *1982*: Oct., **541–548**
Maxillozygomatic arch, fracture of, inferior orbitotomy for, *1982*: Oct., **569–575**
Mayer-Rokitansky-Kuster-Hauser syndrome, *1980*: Apr., **175–178**
Median nerve, group funicular suture in, *1981*: Jan., 39–40
Melanin, 1980: July, 379–380
Melanoma, acryl lentiginous, *1980*: July, 383, 385
amelanotic, *1980*: July, 385
benign juvenile, *1980*: July, 380, 381
lentigo maligna, *1980*: July, 382, 383
malignant, *1980*: July, **379–396**
mucosal, *1980*: July, 383, 385

Melanoma *(Continued)*
nodular, *1980*: July, 383, 385
superficial spreading, *1980*: July, 382–384
Melphalan, skin cancer and, *1980*: July, 365
Meningocele, nasal, correction of, *1981*: July, 560–563
Meniscectomy, in temporomandibular joint surgery, *1982*: Oct., 597
Mental health, body image and, *1982*: Jul., **379–385**
Metacarpal, fracture of, in child, *1981*: Jan., 76–77
internal fixation in, *1981*: Jan., 58
Metacarpophalangeal joint, contracture after burn, *1981*: Jan., 158–159
perichondrial arthroplasty for, *1981*: Jan., **107–114**
Microgenia, correction of, *1981*: Apr., **269–278**
Micrognathia, mandibular, correction of, *1982*: Oct., **519–530**
Microsomia, hemifacial, bone grafting in, *1981*: Apr., 279
correction of, *1981*: Apr., 339–343; *1982*: Oct., **509–517**
Treacher Collins syndrome and, *1981*: Apr., 296
Microsurgery, esthetic aspects of, *1981*: Apr., **333–348**
in China, *1980*: Oct., **437–473**
in Japan, *1980*: Oct., **475–493**
reconstructive, of the lower extremity, *1981*: Apr., **369–372**
Microtia, correction of, *1981*: Apr., **211–221**
Microvascular free flap, for scalp defects, *1982*: Apr., **263–268**
Microvascular nasal reconstruction, *1981*: July, **471–480**
Mohs technique. See *Chemosurgery*.
Mucin, deficiency, *1981*: Oct., 806
Müller's muscle, excision, *1981*: Oct., 783–785
Muscle, free transplantation of, *1980*: Oct., 461–463
role in maxillofacial surgery, *1982*: Oct., 603–633
Muscle flaps, *1980*: Oct., 497. See also *Myocutaneous flaps*, and under specific types.
for resurfacing exposed bone of lower leg, *1980*: Oct., **511–523**
vs. myocutanous flaps, *1980*: Oct., 522
Myocutaneous flaps, *1980*: Oct., 496, 497–502. See also under specific types.
advances in, *1980*: Jan., **15–26**
complications of, *1980*: Jan., **123–132**
for reconstruction of cheek and lips, *1982*: Jan., **71–72**
free, *1980*: Jan., **111–122**; Oct., 463
history of, *1980*: Jan., **3–7**
in hands and forearm, *1981*: Jan., 133
in head and neck reconstruction, *1980*: Jan., **89–109**
muscle flaps and, extended, *1980*: Jan., **57–70**
principles of, *1980*: Jan., **9–13**
symposium on, *1980*: Jan., **1–132**
Myotomy, marginal, levator aponeurosis, *1981*: Oct., 783

NAIL. See also *Fingernail* and *Toenail*, and specific structures.
loss of, replacement, *1981*: Jan., 30
Nail bed, avulsion of, *1981*: Jan., 28
laceration of, *1981*: Jan., 25–27
Nasal reconstruction, *1981*: July, **435–469, 535–563, 565–586**
esthetic, *1981*: Apr., **169–175**
for defects of lining, *1981*: July, 543–546
for full-thickness loss, *1981*: July, 536–542
for lateral defects, *1981*: July, **587–598**
for partial loss, *1981*: July, **521–534**
microvascular, *1981*: July, **471–480**
Nasal reconstruction *(Continued)*
one-stage, *1982*: Jan., 37–44
partial, esthetic aspects of, *1981*: Apr., **177–191**
post-traumatic, esthetic aspects of, *1981*: Apr., 193–200
scalping forehead flap for, *1981*: July, **413–434**
symposium on, *1981*: July, **413–618**
Nasojugal fold, depressed, leveling of, *1981*: Oct., 764–765, 770–771, 773
Nasolabial flap, for nasal reconstruction, *1981*: July, 546, 588–593
Nasolabial fold, skin cancer of, *1980*: July, 428
Neoplasms, cutaneous. See *Skin, cancer of* and under specific types and body areas affected.
vascular, *1980*: July, **397–411**
Nerve, repair of, group funicular suture, indications, *1981*: Jan., 39–41
suturing techniques, *1981*: Jan., 42–43
transection of, epineurial vs. group funicular repair, *1981*: Jan., 39
upper extremity, anatomy of, *1981*: Jan., 35–36
physiology of, *1981*: Jan., 37–38
repair of, *1981*: Jan., **33–44**
Nevus araneus, *1980*: July, 402
blue, *1980*: July, 380, 381
blue rubber bleb syndrome, *1980*: July, 405
compound, *1980*: July, 380
flammeus, *1980*: July, 398–399
giant progressive, congenital, *1980*: July, 380–381
Spitz Allen, *1980*: July, 380, 381
vasculosis osteohypertrophicus, *1980*: July, 404
Nitrosureas, to treat melanoma, *1980*: July, 393
Normality, in handicapped, *1982*: July, 342
Nose, bone grafting to, technique of, 1981: Apr., 282–294
deviated, surgical correction of, *1981*: Apr., **201–210**
external, absence of, *1981*: July, **615–618**
reconstruction of. See *Nasal reconstruction*.
reimplantation of, *1981*: July, 435
septal defects of, *1981*: July, 451, 559–560
skin cancer of, *1980*: July, 426–427
squamous cell carcinoma of, *1980*: July, 322–325
support, defects of, *1981*: July, 550–559
tip, reconstruction of, *1981*: July, **507–520**
Nostril, stenosis of, *1981*: July, 560

OBESITY, as endemic disability, *1982*: July, 339
Occlusion, discrepancies in, during childhood and adolescence, *1982*: Oct., 446–447, 449–450
Ocular cicatricial pemphigoid, *1981*: Oct., 806–807
Ocular muscle. See *Orbicularis oculi*.
Ocular rosacea, *1981*: Oct., 807–808
Omental axial free flap, *1980*: Oct., 458, 460
One-stage reconstructions, symposium on, *1982*: Jan., **15–126**
Oral cancer, psychosocial implications of surgery for, *1982*: July, **327–336**
Oral cavity, reconstruction of, pectoralis paddle flap in, *1980*: Jan., 57–63
Orbicularis oculi, anatomy, 1981: Oct., 623, 647, 687–688
arterial supply, *1981*: Oct., 694
division and suspension of to correct crow's feet, *1981*: Oct., **673–678**
Duchenne's studies, *1981*: Oct., 687, 690–691
function, *1981*: Oct., 689
in cosmetic blepharoplasty, *1981*: Oct., 625
management in blepharoplasty, *1981*: Oct., **687–715**
nerve supply, *1981*: Oct., 695
trimming of, *1981*: Oct., 750

Orbicularis oculi muscle flaps, for crow's feet and lateral brow ptosis. *1981*: Oct., **679–686**
Orbit, fractures of, *1982*: Oct., 586–587
treatment of, *1982*: Oct., **569–575**
hematoma of, following blepharoplasty, *1981*: Oct., 797–798
hypertelorism of, in Oriental patients, *1980*: Oct., **541–552**
osteotomies of, in children, *1982*: Oct., 448, 451
reconstruction of, pectoralis major flap in, *1980*: Jan., 99, 102
relationship to upper eyelids, *1981*: Oct., **717–724**
Orbital fat, anatomy of, *1981*: Oct., 628
Orbital septum, attenuation, in baggy eyelids, *1981*: Oct., 647
fusion of with aponeurosis, controversy over, *1981*: Oct., 626–627
herniated fat and, *1981*: Oct., 625–626
Orbitotomy, inferior, *1982*: Oct., **569–575**
Oropharynx, reconstruction of, myocutaneous flaps in, *1980*: Jan., 99
Orthodontics, after maxillofacial surgery, *1982*: Oct., 604–605
importance in orthognathic surgery, *1982*: Oct., **423–442**
Orthognathic surgery, long-term results of, *1982*: Oct., 603–633
Osteomyelitis, skin cancer and, *1980*: July, 272, 366
Osler-Weber-Rendu syndrome, *1980*: July, 405
Osteosarcoma, reconstruction following resection of, *1981*: Apr., 333–338
Osteotomies, facial, during childhood and adolescence, *1982*: Oct., **445–456**
for esthetic and occlusal change, *1982*: Oct., **457–477**
mandibular and maxillary, for correction of hemifacial microsomia, *1982*: Oct., **509–517**
orthognathic, *1982*: Oct., 458
sagittal splitting, for mandibular prognathism, *1982*: Oct., **491–507**
segmental, *1982*: Oct., 458

"PADDLE" flap, pectoralis, in head and neck reconstruction, *1980*: Jan., 57–63
Pain, temporomandibular joint dysfunction and, *1982*: Oct., 595–596
management of, in terminal patient, *1982*: July, 335
Palate, cleft, unilateral, one-stage repair of, *1982*: Jan., **59–63**
Palm, fasciectomy of, for Dupuytren's contracture, complications, *1981*: Jan., **45–50**
Para-aminobenzoic acid (PABA), in protection of skin, *1980*: July, 274
Parietal scalp, ear and, composite flap for nasal reconstruction, *1981*: July, 439
Patch graft urethroplasty, *1980*: Apr., **169–173**
Pectoralis major myocutaneous flap, *1980*: Jan., 96–107
complications of, *1980*: Jan., 128
in head and neck reconstruction, *1980*: Jan., 15–17
Pectoralis paddle flap, myocutaneous, in head and neck reconstruction, *1980*: Jan., 57–63
Pedicle flap, for treating cicatricial alopecia, *1982*: Apr., 183–184
Penis, deviated, surgical correction of, *1980*: Apr., **201–205**
embryologic development of, *1980*: Apr., 143
partial and complete amputations of, *1980*: Apr., 237–241
reconstruction of, *1982*: Jan., **97–104**
Penis *(Continued)*
scrotum and, avulsion injury of, *1980*: Apr., 235–236
squamous cell carcinoma of, *1980*: July, 333
Perichondrial arthroplasty. See *Arthroplasty, perichondrial.*
Perichondrium, grafts of, replacement of articular cartilage with, *1981*: Jan., **107–114**
Perineum, anomalies of, *1980*: Apr., 215
surface of, reconstruction, *1980*: Apr., **235–258**
Perionychium, anatomy of, *1981*: Jan., 21–22
blood supply of, *1981*: Jan., 22, 24
nerve supply of, *1981*: Jan., 24
physiology of, *1981*: Jan., 24–25
Periosteal graft, free, *1980*: Oct., 470, 471
Personality, in children with cleft palates, *1982*: July, 320
Personality types, of patients for plastic surgery, *1982*: July, 373–374
Peyronie's disease, *1980*: Apr., 201, 202
Phalanx(ges), of finger. See *Finger, phalanx(ges).*
Pickrell procedure, modified, for anal reconstruction, *1982*: Jan., **109–112**
Pierre Robin syndrome, *1982*: Oct., 565
Pinch test, for baggy eyelids, *1981*: Oct., 701
Pip joint, tendon injury, *1981*: Jan., 102, 104–105
Plastic surgery, psychiatry and, *1982*: July, **367–377**
Polar phenomenon, *1982*: Oct., 403
Porokeratoses, actinic, *1980*: July, 292
Port-wine stains, *1980*: July, 398–399
Postnasal epithelial inlay, for loss of nasal mucosa, *1981*: July, 544–546
Preputial island flap and glans channel, *1980*: Apr., 154–157
Pressure sores, ischial and coccygeal, gracilis flaps for, *1980*: Jan., 19–21, 37–41
myocutaneous flaps in coverage of, *1980*: Jan., 16–23
tensor fascia lata flap for, *1980*: Jan., 54–56
Prognathism, mandibular, sagittal splitting osteotomy for, *1982*: Oct., **491–507**
Proptosis, of eye. See *Exophthalmos.*
Prosthesis, in post-mastectomy breast reconstruction, *1981*: Apr., 375
Silastic, in augmentation rhinoplasty, *1980*: Oct., 561–562
Proximal interphalangeal joint, acute injury of, diagnosis, *1981*: Jan., **95–105**
damage after burn, *1981*: Jan., 159–161
collateral ligament and volar plate injury, *1981*: Jan., 99
fractures involving, *1981*: Jan., 102
radiography of, *1981*: Jan., 98
Pseudarthrosis, of scaphoid, differentiation from delayed union, *1981*: Jan., 89
treatment, *1981*: Jan., 92–93
Pseudohermaphroditism, male, *1980*: Apr., 216
Pseudoptosis, *1981*: Oct., 828
Psychiatry, plastic surgery and, *1982*: July, **367–377**
Psychosocial considerations, in craniofacial deformity, *1982*: July, **297–306**
in plastic surgery, symposium on, *1982*: July, **283–395**
Ptosis, of brow, *1981*: Oct., 719–720, 828
distinction from blepharochalasis, *1981*: Oct., 635
of eyelid, Beard's classification, *1981*: Oct., 811
blepharochalasis and, *1981*: Oct., 813
classification of, *1982*: Jan., **45**
complicating blepharoplasty, *1981*: Oct., 828
in blepharoplasty patients, *1981*: Oct., 814, 822, 828
myogenic, *1981*: Oct., 814
neurogenic, *1981*: Oct., 814
of lateral brow, orbicularis oculi muscle flaps for, *1981*: Oct., **679–686**
of upper eyelid, *1981*: Oct., 706–708

Ptosis adiposa, *1981*: Oct., 813–814
Punch scalp graft, for hair transplantation, *1982*: Apr., **207–220**

RADIAL nerve, group funicular suture in, *1981*: Jan., 40
Radiation dermatitis, *1980*: July, 301–302
Radiation therapy, for malignant melanoma, *1980*: July, 394
for skin cancer, *1980*: July, **337–348**
Radiography, of proximal interphalangeal joint, *1981*: Jan., 98
of scaphoid fracture, *1981*: Jan., 87–88
Random pattern flap(s), local, in hand and forearm, *1981*: Jan., 130–132
Reconstructive surgery, esthetic aspects of, symposium on, *1981*: Apr., **165–406**
craniofacial, psychosocial effects of, *1982*: July, **297–306**
evolution of body image following, *1982*: July, 311–313
influence on body image, *1982*: July, **307–315**
patient's expectations of, *1982*: July, 393
psychosocial studies of, *1982*: July, 284
one-stage, symposium on, *1982*: Jan., **15–126**
stress of, *1982*: July, 387–389
Rectal sphincter, reconstruction of, gracilis muscle in, *1980*: Jan., 33
Rectovaginal fistula, reconstruction of, gracilis flap in, *1980*: Jan., 35–37
Reduction mammaplasty, psychological reactions to, *1982*: July, 350–351
Remodeling, treatment for pediatric fractures, *1981*: Jan., 79–80
Renal anomalies, with vaginal agenesis, *1980*: Apr., 176
Replantation, finger, rigid internal fixation in, *1981*: Jan., 58
functional appraisal after, *1980*: Oct., 443
of digits, *1980*: Oct., 442–443
of limbs, *1980*: Oct., 438–442
research in, *1980*: Oct., 476–477
segmental resection and, *1980*: Oct., 447–450
transpositional, *1980*: Oct., 443–447
Research designs, "before-after," importance of, *1982*: July, 293–294
Respiratory problems, associated with craniofacial anomalies, *1982*: Oct., **555–567**
Retroauricular flap, for nasal reconstruction, *1981*: July, 472
Rhinophyma, *1980*: July, **277–288**
correction of, *1981*: July, 563
Rhinoplasty, analysis of reasons for having, *1982*: July, 368–369
augmentation, in Oriental patients, *1980*: Oct., 560–567
reconstructive, esthetic aspects of, *1981*: Apr., **169–175.** See also *Nasal reconstruction* and *Nose*.
unfavorable reaction to, *1982*: July, 370
Rhinoscleroma, nasal lining defects and, *1981*: July, 543–544
Rib graft, free, *1980*: Oct., 463, 466, 468
for repair of mandibular defects, *1982*: Jan., **73–78**
Roentgenotherapy, for skin cancer, *1980*: July, 339
Rotation flaps, for covering small defects of scalp, *1982*: Apr., 138

SALMON patches, *1980*: July, 398
Sarcoma, Kaposi's, *1980*: July, 362, 410
Scalp, burned, surgical management of, *1982*: Apr., **167–177**
cicatricial alopecia of, surgical treatment of, *1982*: Apr., **179–196**
difficult wounds of, management of, *1981*: Apr., **327–332**
electrical burns of, surgical treatment of, *1982*: Apr., **161–177**
full-thickness losses of, *1982*: Apr., 136–137
hair, biology of growth, *1982*: Apr., **197–205**
partial thickness loss of, repair of, *1982*: Apr., 134–136
reconstruction of, *1982*: Apr., 148–153
esthetic aspects of, *1981*: Apr., **243–254**
replantation of, with avulsion injury, *1982*: Apr., 146–148
skin cancer of, *1980*: July, 421
squamous cell carcinoma of, *1980*: July, 332
surgical anatomy of, *1982*: Apr., 131–132
totally avulsed, surgical treatment of, *1982*: Apr., **145–159**
traumatic defects of, surgical repair of, *1982*: Apr., **131–144**
Scalp flaps, *1982*: Apr., 137–141
free, for treating cicatricial alopecia, *1982*: Apr., 184
Scalp reduction, *1982*: Apr., **269–278**
Scalping forehead flap, for nasal reconstruction, *1981*: July, **413–434**
Scaphoid, avascular necrosis of, after fracture, *1981*: Jan., 86–87
blood supply of, *1981*: Jan., 85–86
fracture of. See *Fracture, of scaphoid*.
pseudarthrosis of, bone grafting for, *1981*: Jan., 92–93
Schirmer test, *1981*: Oct., 809
Scleral grafting, for lid retraction, *1981*: Oct., 786–789
Scrotum, penis and, avulsion injury of, *1980*: Apr., 235–236
reconstruction of, *1982*: Jan., 102–104
Self-confidence, associated with physical attractiveness, *1982*: July, 293
Self-consciousness, as motive for having esthetic surgery, *1982*: July, 372
etiology of, deformity and, *1982*: July, 372–373
Self-image, damaged, after burns, *1982*: July, **337–346**
development of breast and, *1982* July, 348
of children with cleft palate, *1982*: July, 320–322
of transsexuals, *1982*: July, 356–357
of woman with large breasts, *1982*: July, 350
of woman with small breasts, *1982*: July, 349–350
Septum, nasal, defects of, *1981*: July, 559–560
perforation of, bipedicle flaps for repair, *1981*: July, 451
Sex chromatin mass, *1980*: Apr., 180
Sexual differentiation, embryology of, *1980*: Apr., 143
Skeleton, nasal, reconstruction of, *1981*: July, 569, 577
Skin, cancer of, etiologic agents, *1980*: July, **265–275**
genetic susceptibility, *1980*: July, 271–272
immunosuppression and, *1980*: July, 273, **361–368**
in organ transplant recipients, *1980*: July, 361–365
in xeroderma pigmentosum, *1980*: July, 271
ionizing radiation and, *1980*: July, 266, 269–270, 301
lupus vulgaris lesions and, *1980*: July, 366
radiation therapy for, *1980*: July, **337–348**
sunlight and, *1980*: July, 266, 268–269, 301
ultraviolet radiation and, *1980*: July, 266, 268–269, 301
x-ray and, *1980*: July, 269
lesions. See also *Skin, cancer of* and *Skin, tumors of*.
premalignant, *1980*: July, **289–300**
nasal, defects of, *1981*: July, 546–550

Skin *(Continued)*
photoprotection of, *1980*: July, 273–274
protection of, para-aminobenzoic acid in, *1980*: July, 274
synthesis of androgens and, *1982*: Apr., 199
tumors of, symposium on, *1980*: July, **263–432**. See also *Skin, cancer of* and specific types and body areas affected.
Skin flaps, free, transfer of, *1980*: Oct., 457–458
Skin graft, "extended," for one-stage reconstructions, *1982*: Jan., **15–20**
for closure of genital wounds, *1980*: Apr., 242–246
for nasal reconstruction, *1981*: July, 587–588, 603
of burned hand, *1981*: Jan., 143–148
onto muscle flap, *1980*: Oct., 522
Skull, injuries to, combined with scalp injuries, treatment of, *1982*: Apr., 142–144
difficult wounds of, management of, *1981*: Apr., **327–332**
normal anatomy of, *1982*: Apr., 161
Sleep disorders, in children with craniofacial anomalies, *1982*: Oct., **555–567**
Social maturity, in adults with cleft palate, *1982*: July, 323
in children with cleft palates, *1982*: July, 320
Socioeconomic status, surgeon-patient relationships and, *1982*: July, 391
Sociopsychological considerations, in plastic surgery, symposium on, *1982*: July, **283–395**
Soleus muscle flap, distal or reversed, in lower extremity reconstruction, *1980*: Jan., 63–66
Speech, distorted, after cleft palate repair, *1982*: Jan., **65–70**
after surgery for head and neck cancer, *1982*: July, 331
after surgery for oral cancer, *1982*: July, 331
Spindle cell carcinoma, microscopic findings, *1980*: July, 315
Spine, anomalies, with vaginal agenesis, *1980*: Apr., 176
"Spread phenomenon," development of body image and, *1982*: July, 308–309
Squamous cell carcinoma, *1980*: July, 313–336
reconstruction following resection of, *1981*: Apr., 345–348
Square scalp grafts, for hair transplantation, *1982*: Apr., **221–228**
"Stairs" sign, *1981*: Oct., 629
Sternocleidomastoid myocutaneous flap, *1980*: Jan., 92–97
complications of, *1980*: Jan., 128
Sternum, reconstruction of, *1981*: Apr., **389–397**
Stevens-Johnson syndrome, *1981*: Oct., 806, 807
Stewart-Treves syndrome, *1980*: July, 409–410
Stoner procedure, for restoring anal continence, *1982*: Jan., 109
Strip scalp graft, for hair transplantation, *1982*: Apr., **229–240**
Sturge-Weber syndrome, *1980*: July, 404
Südeck-Leriche syndrome, *1981*: Jan., 48
Surgeon-patient relationships, *1982*: July, **387–395**
Synovial fluid, nutrition of flexor tendon system by, *1981*: Jan., 2
role in tendon healing, Jan., 4–5
Syphilis, nasal lining defects and, *1981*: July, 543

TARSAL cartilage, management of in lower blepharoplasty, *1981*: Oct., 647, 650
Tarsal grafting, for lid retraction, *1981*: Oct., 790–791
Tattoo, argon laser removal of, *1980*: July, 373–374
pathophysiology and treatment, *1980*: July, **369–377**
Tears. See *Lacrimation*.
Telangiectasis, hereditary hemorrhagic, *1980*: July, 405
Temporal area, squamous cell carcinoma of, *1980*: July, 329–330
Temporomandibular joint, functional surgery of, *1982*: Oct., 591–601
Temporo-parieto-occipital flap, for treatment of baldness, *1982*: Apr., **255–261**
Tendon, digital, experimental grafting of, *1981*: Jan., 5, 9
two-stage procedure for grafting, *1981*: Jan., 9–11
healing of in synovial environment, *1981*: Jan., 4–5
of proximal interphalangeal joint, injury to, *1981*: Jan., 102, 104–105
repair of, experimental basis of, *1981*: Jan., **1–12**
Tendon sheath, digital, experimentally restored, *1981*: Jan., 5
preservation of in tendon grafting, *1981*: Jan., 5, 9–11
Tennison method, inverted, for repair of cleft lip, *1982*: Jan., **53–57**
Tensilon test, *1981*: Oct., 812
Tensor fascia lata myocutaneous flap, *1980*: Jan., **51–56**
complications of, *1980*: Jan., 128–129
for pressure sores, *1980*: Jan., 18–20, 22–24
Terminal patient, management of, *1982*: July, 333–335
Testes, amputation of, *1980*: 241
Testicular feminization syndrome, *1980*: Apr., 189
androgenetic alopecia in, *1982*: Apr., 198–199
Thenar flap, for distal finger amputation, *1981*: Jan., 131–132
Thoracoacromial flap, for nasal reconstruction, *1981*: July, 472
Thoracoepigastric flap, in hand and forearm, *1981*: Jan., 135–136
Thumb, internal fixation in, *1981*: Jan., 56–58
reconstruction of, *1980*: Oct., 450–452; *1981*: Apr., **357–362**
Toe, transplant of, for reconstruction of thumb, *1981*: Apr., **357–362**
Toenail, injury and reconstruction, *1981*: Jan., 30
Transplantation, free bone, with vascular anastomoses, *1980*: Oct., 463–470
free muscle, *1980*: Oct., 461–463
free toe, for reconstruction of hand, *1980*: Oct., 453–457
with attached skin flap, *1980*: Oct., 453
for reconstruction of fingers, *1980*: Oct., 452–453
for reconstruction of thumb, *1980*: Oct., 450–452
Transposition flap, blood supply of, *1981*: Jan., 118–120
designing of, *1981*: Jan., 117–122
for restoring hairline, *1982*: Apr., 138–140
in hand, procedures for readjustment, *1981*: Jan., 126–127
raising of, *1981*: Jan., 122, 125–126
use of, *1981*: Jan., **115–127**
Transsexualism. See also *Gender reassignment surgery*.
diagnostic criteria for, *1982*: July, 358
psychological considerations of, *1982*: July, **355–366**
Transvestism, distinguished from transsexualism, *1982*: July, 361
Trapezius myocutaneous flap, complications of, *1980*: Jan., 128
in head and neck reconstruction, *1980*: Jan., 91–92
Trauma. See also *Fractures*.
facial, correction of, *1981*: Apr., 310–316
fronto-naso-orbital, management of, *1982*: Oct., **577–588**
to scalp, surgical repair of defects, *1982*: Apr., **131–144**
upper extremity, patterns of occurrence, *1981*: Jan., **13–19**
Treacher Collins syndrome, bone grafting in, *1981*: Apr., 279

Treacher Collins syndrome *(Continued)*
cranial graft for correction of, *1982*: Oct., 536
respiratory problems and, *1982*: Oct., 563–565
Tubes, endotracheal, for maxillofacial surgery, *1982*: Oct., 443
Tumor, Breslow-Clark classification of, *1980*: July, 387
Clark classification, *1980*: July, 387
glomus, *1980*: July, 403
orbital reconstruction after resection, *1982*: Oct., **549–554**
Turner's syndrome, *1980*: Apr., 185–187
chromosome analysis in, *1980*: Apr., 183

ULCERATION, chronic, after healing of burn, *1981*: Jan., 149
Marjolin's, *1980*: July, 366
Ulnar nerve, group funicular suture in, *1981*: Jan., 40
Ultraviolet radiation, skin cancer and, *1980*: July, 266, 268–269, 301
Upper arm, flap, for one-stage reconstructions, *1982*: Jan., **27–35**
Ureter, ectopic, bilateral, *1980*: Apr., 209
Urethra, congenital short, *1980*: Apr., 203
female, surgical reconstruction of, *1980*: Apr., **207–234**
incompetent, in females, *1980*: Apr., 207
male, embryological development of, *1980*: Apr., 142–146
reconstruction of, in hypospadias repair, *1982*: Jan., 92–93
stenosis, in females, *1980*: Apr., 207
repair of, *1980*: Apr., **169–173**
stricture, repair of, *1980*: Apr., 245
Urethrocutaneous fistula, reconstruction of, gracilis flap in, *1980*: Jan., 33–35
Urethroplasty, for hypospadias, *1980*: Apr., **149–160, 161–168**
patch graft, *1980*: Apr., **169–173**
Urogenital tract, surgery of, history of, *1980*: Apr., **137–139**
Uterus, absence, in vaginal agenesis, *1980*: Apr., 176

VAGINA, agenesis, *1980*: Apr., **175–178,** 214–215
reconstruction of, gracilis myocutaneous flap in, *1980*: Jan., 35–39
one-stage, *1982*: Jan., **105–109**
stenosis, *1980*: Apr., 239
surgical reconstruction of, *1980*: Apr., **207–234**
webbed, Z-plasty for, *1980*: Apr., 246–248
Vaginoplasty, *1980*: Apr., 216–232
Vasectomy, reversal of, *1980*: Apr., **197–199**
Vesicocutaneous fistula, reconstruction of, gracilis flap in, *1980*: Jan., 33–35
Vesicovaginal fistula, reconstruction of, gracilis flap in, *1980*: Jan., 35–37
Von Hippel-Lindau syndrome, *1980*: July, 404
Vulnerability, in burned patients, *1982*: July, 342–343
Vulva, carcinoma of, *1980*: Apr., 243

WEDGE resection, in blepharoplasty, *1981*: Oct., 750–751
Wounds, genital, treatment of, *1980*: Apr., 235–258
Wrist. See also *Scaphoid*.
contracture after burn, *1981*: Jan., 158
mechanics of, *1981*: Jan., 83–84

XERODERMA pigmentosum, basal cell carcinoma and, *1980*: July, 302
skin cancer and, *1980*: July, 271

Z-PLASTY, to correct epicanthal fold, *1981*: Oct., 730